Public Meeting to Discuss No Discharge Zone (NDZ) Draft Application



Agenda

Introduction to No Discharge Zones (NDZs) - Margaret Smigo
Piedmont Regional TMDL
Coordinator

Overview of NDZ application prepared by
Northern Neck Planning District Commission (NNPDC)
for Farnham and Lancaster Creeks in Richmond Co – Stuart McKenzie
NN PDC Environmental
Planner

Question and Answer Session - Group



Clean Water Act (1972)

- The Clean Water Act (CWA) prohibits the discharge of untreated waste into United States territorial waters
- Section 312 of the CWA mandates that all commercial and recreational vessels with an installed toilet be equipped with a United States Coast Guard (USCG) certified Marine Sanitation Device (MSD)



Marine Sanitation Device (MSD)

CWA (Sec 312)....

"includes any equipment for installation on board a vessel which is designed to receive, retain, treat, or discharge sewage, and any process to treat such sewage"

Marine Sanitation Devices

- Type I MSD must produce an effluent having a fecal coliform bacteria count ≤ 1,000 per 100 milliliters and no visible floating solids.
- Type II MSD must produce an effluent having a fecal coliform bacteria count ≤ 200 per 100 milliliters and suspended solids ≤ 150 milligrams per liter
 - Required on boats > 65 ft
- Type III MSD is a holding tank (with or without discharge capability)



A No Discharge Zone...

Is a federally designated body of water where discharge of *treated* vessel waste is prohibited (MSD 1/II)

NOTICE

THIS WATERWAY
IS A
NO DISCHARGE ZONE



THE DISCHARGE OF ALL SEWAGE FROM ANY VESSEL OR MSD IS STRICTLY PROHIBITED 9 VAC 25-71



Why is Treated Overboard Discharge (MSD I/II) an Issue?

- MSDs (I/II) may not be capable of destroying enough bacteria in waterways with bacteria impairments
- MSDs (I/II) may not be capable of destroying all pathogens in human waste (i.e. viruses Hepatitis A, Norovirus)
- MSD (I/II) chemicals may be harmful to the environment
- Nutrients only minimally or partially removed by MSDs (I/II) (Nitrogen/Phosphorus)
 - Nutrients contribute to algae blooms which can lead to depletion of dissolved oxygen in water and ultimately, fish kils
 - Low or no dissolved oxygen affects aquatic organisms such as fish and crustaceans
 - Contributes to impairments of submerged aquatic vegetation (SAV)
 - Chesapeake Bay TMDL calls for nitrogoen/phosphorus reductions



Federal NDZ Guidance

United States Environmental Protection Agency

Office of Water Washington, DC 20460

EPA 842-B-94-004 August 1994



Protecting Coastal Waters from Vessel and Marina Discharges:

A Guide for State and Local Officials

Volume I. Establishing No Discharge Areas under §312 of the Clean Water Act

For Full Document Visit http://www.epa.gov/reg3wapd/nodischarge/index.htm



Federal NDZ Guidance

Water Criteria for Designation

- Certain fresh waters
- Waters where the presence of adequate alternatives
 (i.e. sewage pump-outs) can be established
- Waters of particular environmental significance,
 regardless of pump-out availability (i.e. sensitive species)
- Areas surrounding drinking water intakes regardless of pump-out availability



Federal NDZ Guidance

Key elements of an application for NDZ designation:

- (1) A certification that the protection and enhancement of the waters described in the petition require greater environmental protection than the applicable Federal standard;
- (2) A map showing the location of commercial and recreational pump-out facilities;
- (3) A description of the location of pump-out facilities within waters designated for no discharge;
- (4) The general schedule of operating hours of the pump-out facilities;
- (5) The draught requirements on vessels that may be excluded because of insufficient water depth adjacent to the facility;
- (6) Information indicating that treatment of wastes from such pump-out facilities is in conformance with Federal law; and
- (7) Information on vessel population and vessel usage of the subject waters (EPA Guidance 842-B-94-004)



Federal Requirements of MSDs in a NDZ

- In a no-discharge zone:
 - Type III devices must be secured by
 - Closing overboard discharge valve and removing handle
 - Securing with a padlock or with non-removable wire tie
 - Type I and II devices must be secured by
 - Closing the seacock and padlocking it
 - Using a non-releasable wire tie
 - Removing the seacock handle (with the seacock closed)
 - Lock door leading to toilet




Virginia Regulatory Background

VADEQ Guidance Memo No. 08-2003 (2/26/2008)

Visit http://www.deq.virginia.gov/waterguidance/pdf/082003.pdf

The Virginia NDZ process:

- Application process can be initiated by
 - Stakeholder petition ("external")
 - Component of TMDL IP ("internal")
- DEQ determines necessity, level of support, pump-out availability, prepare draft application in collaboration
 - Public meeting and comment period





Virginia Regulatory Background

House Bill 1774 (2009 Session, Gen Assembly)

"The tidal creeks of the Commonwealth are hereby established as no discharge zones for the discharge of sewage and other wastes from documented and undocumented boats and vessels."

- Mandates VA DEQ to implement federal law (i.e. apply to EPA)
- Restates federal NDZ law, plus...
 - Mandates that houseboats have holding tank & use pump-outs
 - extends enforcement authority to all law enforcement agencies
 - Requires marinas in NDZs to give notice to patrons via

Signage

_anguage in slip rental contracts



NDZs in Maryland...



Maryland recently withdrew its application for a NDZ to cover their entire portion of the Chesapeake Bay







Extent of VA Bacteria Impairments



Most tidal tributaries have a shellfish or recreation use impairment due to less volume and less flushing compared to the major rivers

*As of 2008 VADEQ Integrated Assessment Report



NDZs in Virginia

Approved VA NDZs

- Smith Mountain Lake, Bedford, Franklin, & Pittsylvania Counties (2000)
- Lynnhaven River, Virginia Beach (2007)
- Broad and Jackson Creeks, Fishing Bay, Middlesex County (2009)

Application in revision

Owl Creek / Rudee Inlet, Virginia Beach

Applications in preparation


- Northern Neck counties Farnham Creek to Rosier Creek from Richmond to Westmoreland Counties
 - Applications to be submitted for Creeks per County

Other nearby counties have requested information ©



Virginia NDZ Experience - Lynnhaven

- Huge stakeholder involvement throughout TMDL/IP process
 - Lynnhaven River Now (nonprofit group)
- Positive impact of NDZ outreach:
 - Shellfish growing areas closed since 1930's now re-opened
 - Cavalier Golf & Yacht Club reported more pump-outs
 - FYY 2006 154 pump outs (pre NDZ)
 - FYY 2007 299 pump-outs (post NDZ)





Virginia Experience — Deltaville Including Broad & Jackson Creeks and Fishing Bay

- Local citizen interest prompted NDZ application development
- Sign placement at marinas; best to solicit conspicuous land-based postings on private and/or marina property

EPA approved 2009; will need time to assess effectiveness of NDZ on

water quality





Virginia Experience – Northern Neck

- Focus area includes tidal tributaries in Richmond (Farnham & Lancaster Creeks), Lancaster, Northumberland, & Westmoreland Counties (Farnham Ck to Rosier Ck)
- Includes ~40 impaired Shellfish/recreation use TMDL segments
- Strong NDZ support at local, county, & regional levels
- Federal stimulus funding used towards data collection (Contractor – NN PDC)
- Anticipated completion: Winter 2010 / 2011



Why is a NDZ Beneficial?

- Can improve water quality which leads to the restoration of beneficial uses
- In impaired waterbodies, a NDZ addresses boats as a source allowing stakeholders to focus on upland source reductions
- Improves attractiveness of water bodies for marina owners & local business with minimal to no regulatory burden
- Encourages overall watershed stewardship

Public Comment Period for Farnham Creek and Lancaster Creek (Richmond Co) Draft NDZ Application

Draft Application Online:

http://www.deq.virginia.gov/export/sites/default/tmdl/ndz/drafts/farnham.pdf

Send Comments by November 8, 2010 to:

Mail: Margaret Smigo

4949-A Cox Road

Glen Allen VA, 23060

Email: Margaret.Smigo@deq.virginia.gov

Fax: (804)527-5106



Questions so Far?

VA DEQ NDZ Website: http://www.deq.virginia.gov/tmdl/ndz.html

To report a non-working pump-out contact Preston Smith at Virginia Department of Health (804)864-7468



